# TECHNICAL DATA SHEET



# Diluente sintetico

SYNTHETIC ENAMEL THINNER Slow Evaporation Rate

### **Technical specifications**

**Diluente sintetico** is a product formulated with highly selected raw materials, used for thinning synthetic and oleosynthetic enamels. Its slow evaporation rate enhances the gloss and flow of the coating. Thanks to its strong solvent power, **Diluente sintetico** can also be used to clean spray guns, brushes, and tools soiled with fresh (non-dried) paint. Due to its purity and high quality, the product is stable and does not deteriorate over time.

#### Instructions for use

<u>For thinning:</u> gradually mix the thinner into the coating until the desired viscosity is reached. Correct dilution optimizes gloss and surface leveling.

For cleaning: use the product as supplied to clean surfaces, brushes, and spray guns contaminated with fresh paint.

# **Application**

Diluente sintetico can be applied either diluted (for coating preparation) or pure (for cleaning tools and surfaces).

#### Consumption

The consumption of **Diluente sintetico** depends on the type of application, the surface treated, and the required dilution. Actual consumption may vary depending on environmental conditions (temperature, humidity) and application methods (spray, brush, immersion). Preliminary tests are always recommended before use.

#### Warnings

Always carry out a preliminary compatibility test before use. Use the product according to good work practices, avoiding release into the environment. Wear appropriate personal protective equipment (gloves, safety goggles, etc.). Store in well-ventilated areas and away from heat sources. Do not disperse into the environment; follow local regulations for disposal.

# **Packaging**

20-pack boxes 1L
4-pack boxes 5L
Buckets 20L
Buckets 25L

## **Chemical-Physical Properties**

Physical state	Clear liquid
Colour	Colourless
Smell	Characteristic
Boiling range	95-180°C
Flash Point	<21°C
Density (T=20°C)	≈0,835Kg/L
Vapour density	>1 (air=1)
Water solubility	Insoluble

Technical Data Sheet code: 1802-Revision 01 of 01/10/2025

