

Percloroetilene puro

Industrial Solvent, Degreaser, and Stain Remover

Technical specifications

Percloroetilene puro is used as a solvent with excellent degreasing power for the removal of grease and oils. Its main applications include metal cleaning and stain removal. It is also used for dry stain removal from fabrics.

Instructions for use

Percloroetilene puro is used in various cold-cleaning sectors, such as metal degreasing in mechanical industries and for cleaning molded polyurethane products (e.g. shoe soles).

Application

Apply **Percloroetilene puro** as-is, cold, using a brush and/or by immersion.

Consumption

Consumption depends on the type of application, surface treated, and the level of cleaning required. Actual consumption may vary depending on environmental conditions and application methods. It is always recommended to carry out preliminary tests before use, especially on light alloys (e.g. aluminum, brass), which may become dull.

Warnings

Always perform a compatibility test before use. Use according to good industrial practices, avoiding dispersion into the environment. Wear appropriate protective equipment (gloves, goggles, etc.). Store in well-ventilated areas and away from heat sources. Do not release into the environment. Follow local regulations for disposal.

Packaging

Buckets	25Kg
Drum	335Kg

Chemical-Physical Properties

Physical state	Clear liquid
Colour	Colourless
Smell	Characteristic
Boiling point	121°C
Freezing point	-22°C
Flash Point	Non flammable
Relative density (T=20°C)	≈1,620Kg/L
Vapour density	5,76 (air=1)
Acid acceptability	0,0015-0,0016% w/w NaOH

Technical Data Sheet code: 1640-Revision 01 of 01/09/2025

Via G. Galilei 39 • 35035 Mestrino (PD) • tel +39 049 904 8611 • fax +39 049 900 1695
www.multichimica.it • mailbox@multichimica.it



The information is, to the best of our knowledge, accurate and correct, but any indication and/or suggestion provided is given without guarantee, as the conditions of use are beyond our direct control. In case of uncertainty, preliminary testing is always recommended.