# TECHNICAL DATA SHEET



# Olio di Silicone Spray

Spray lubricant

# **Technical specifications**

Olio di Silicone Spray is a solution based on pure silicone oil with anti-adhesive, release, and lubricating properties on a wide range of materials. It is used in the rubber, plastic, and wood industries. It provides good water repellency on treated materials and prevents the accumulation of electrostatic charges. Olio di Silicone Spray is effective as a polish and protective agent on plastic parts and protects seals from cracking, enhancing their durability and performance.

#### Instructions for use

Shake the spray can vigorously before use and spray **Olio di Silicone Spray** in short bursts from a distance of about 20-30 cm.

# **Application**

Apply Olio di Silicone Spray as supplied.

#### Consumption

The consumption of Olio di Silicone Spray varies depending on the method of use and the required application.

#### Warnings

Protect the container from sunlight.

Do not expose to high temperatures or heat sources.

Do not pierce or burn the can.

Use in a well-ventilated area and do not smoke during use.

Use the product following good working practices, avoiding release into the environment.

Wear suitable protective equipment (gloves, safety goggles, etc.).

Store the product indoors in its original, closed packaging, away from weather, frost, and heat sources.

Do not disperse into the environment: follow local regulations for disposal.

Always carry out a preliminary test before use.

### **Packaging**

6-pack boxes 400mL Barcode: 80-20709-005535

# **CHEMICAL AND PHYSICAL PROPERTIES**

Physical state	Pressurized liquid
Color	Colorless
Smell	Characteristic
Flash Point	<0°C
Density (T=20°C)	0,75-0,79Kg/L
Pressure (T=20°C)	4,0±0,5 Bar
Pressure (T=50°C)	8,0±0,5 Bar
Packaging format	400mL aerosol can

Technical Data Sheet code: 3019-Revision 01 of 01/10/2025

www.multichimica.it · mailbox@multichimica.it

