

Acquaragia Extra

Low-odour dearomatized mineral spirits with reduced toxicity and lower environmental impact

Technical specifications

Acquaragia Extra is a denatured mineral spirit mainly used for thinning synthetic and alkyd paints. Its slow evaporation rate enhances the gloss and flow of the coating. Thanks to its high solvent power, it can also be used for cleaning spray guns, brushes, and tools soiled with paint. Due to its high purity, **Acquaragia Extra** is stable and does not deteriorate over time.

Instructions for use

For thinning: gradually add the product to the paint until the desired viscosity is achieved. Optimal thinning enhances the gloss and leveling of the coating.

For cleaning: use the product as is for cleaning surfaces, brushes, and spray guns contaminated with wet paint.

Application

Apply **Acquaragia Extra** either diluted or undiluted, depending on the intended use.

Consumption

The consumption of **Acquaragia Extra** depends on the type of application, the surface to be treated, and the level of thinning required. Actual consumption may vary according to environmental conditions (temperature, humidity) and the application method (brush, spray, immersion). Preliminary tests are always recommended before use.

Warnings

Always carry out a preliminary compatibility test before use. Use the product according to good work practices, avoiding release into the environment. Wear appropriate personal protective equipment (gloves, safety goggles, etc.). Store in well-ventilated areas and away from heat sources. Do not disperse into the environment; follow local regulations for disposal.

Packaging

20-pack boxes	0,5L	Barcode: 80-20709-000011
20-pack boxes	1L	Barcode: 80-20709-000028
4-pack boxes	5L	Barcode: 80-20709-000035
Buckets	20L	Barcode: 80-20709-003005
Buckets	25L	Barcode: 80-20709-002992
Drum	200L	Barcode: 80-20709-004514

Chemical-Physical Properties

Physical state	Clear liquid
Colour	Colourless
Smell	Characteristic
Boiling point	142-200°C
Flash Point	>39°C
Density (T=20°C)	≈0,854Kg/L
Water solubility	Insoluble

Technical Data Sheet code: 1888-Revision 01 of 01/09/2025

Via G. Galilei 39 • 35035 Mestrino (PD) • tel +39 049 904 8611 • fax +39 049 900 1695
www.multichimica.it • mailbox@multichimica.it



The information is, to the best of our knowledge, accurate and correct, but any indication and/or suggestion provided is given without guarantee, as the conditions of use are beyond our direct control. In case of uncertainty, preliminary testing is always recommended.