TECHNICAL DATA SHEET



Diluente Nitro Cleaner New

Blend for Thinning Nitro Paints and Antirust Primers, and for General Degreasing

Technical specifications

Diluente Nitro Cleaner New is a blend used for thinning nitrocellulose paints and antirust primers. It is also suitable for washing and degreasing mechanical parts and for cleaning surfaces, brushes, or spray guns contaminated with undried paints.

Instructions for use

For thinning: dilute the nitro paint product until the desired viscosity is achieved.

<u>For cleaning:</u> use the product neat to clean surfaces, brushes, and spray guns soiled with undried paints. Do not leave tools immersed in the solvent for extended periods.

Application

Apply Diluente Nitro Cleaner New undiluted by immersion, brush, or roller.

Consumption

The consumption of **Diluente Nitro Cleaner New** depends on the type of application, the surface treated, and the required dilution. Actual consumption may vary depending on environmental conditions (temperature, humidity) and application methods (roller, brush, immersion). Preliminary testing is always recommended before use.

Warnings

Always carry out a preliminary compatibility test before use. Use the product according to good work practices, avoiding release into the environment. Wear appropriate personal protective equipment (gloves, safety goggles, etc.). Store in well-ventilated areas and away from heat sources. Do not disperse into the environment; follow local regulations for disposal. It is recommended to use the product within 6 months from the production date.

Packaging

20-pack boxes 1L
4-pack boxes 5L
Buckets 20L
Buckets 25L
Drum 200L

Chemical-Physical Properties

Physical state	Clear liquid
Colour	Colourless
Smell	Characteristic, aromatic
Boiling range	60-170°C
Flash Point	<21°C
Density (T=20°C)	[0,855±0,015]Kg/L
рН	Neutral

Technical Data Sheet code: 1900-Revision 01 of 01/09/2025

www.multichimica.it · mailbox@multichimica.it

Via G. Galilei 39 • 35035 Mestrino (PD) • tel +39 049 904 8611 • fax +39 049 900 1695

